



AYURVEDIC MANAGEMENT OF INFERTILITY: EVIDENCE-BASED UPDATES FOR INTEGRATIVE REPRODUCTIVE MEDICINE

Dr.Sneh Rawat^{1*}, Dr Hemant Kumar², Dr Priyanka Kumari³

^{1*}Assistant Professor, Dept of Prasuti Tantra & Stree Roga, Jayoti Vidyapeeth Women's University, Jaipur Rajasthan (dr.snehrawat@gmail.com)

²Assistant Professor and PhD Scholar PG Department of Stri Roga evam Prasuti Tantra Post Graduate Institute of Ayurved Dr Sarvepalli Radhakrishnan Rajasthan Ayurved University Jodhpur Rajasthan (hemant5menaria@gmail.com)

³Assistant professor, Department of prasooti tantra and stree roga Keshav ayurvedic medical college and hospital, aklera, jhalawar, rajasthan (priyankayadav.un@gmail.com)

***Corresponding Author-** Dr.Sneh Rawat
(dr.snehrawat@gmail.com)

Abstract

Background: Infertility affects a considerable portion of the global population (10–15%) and frequently presents as a complex, multi-factorial challenge complicated by metabolic comorbidities such as Polycystic Ovarian Syndrome (PCOS) and significant psychosocial stress. While Assisted Reproductive Technology (ART) offers substantial solutions, its success rates are often limited by intrinsic factors like poor gamete quality, diminished ovarian reserve (DOR), and inadequate endometrial receptivity. Integrative Reproductive Medicine (IRM) provides a paradigm for combining biomedical approaches with holistic traditional systems, such as Ayurveda, based on rigorous evidence.

Objective: This review critically synthesizes the classical Ayurvedic concepts of *Vandhyatwa* (infertility) and its comprehensive management principles (*Shodhana*, *Shamana*, *Rasayana*) with contemporary clinical data derived from indexed biomedical literature. The primary aim is to establish an evidence base for Ayurveda's role as an efficacious primary or adjunct therapy within modern IRM protocols.

Data Sources: A comprehensive review was conducted, encompassing randomized controlled trials (RCTs), systematic reviews, detailed case reports, and pharmacological studies retrieved from electronic databases including PubMed, Scopus, and the Cochrane Library. This analysis was anchored by fundamental concepts delineated in classical Ayurvedic texts, specifically the *Brihat Trayi*.

Synthesis/Findings: Ayurvedic interventions demonstrate significant efficacy across major infertility factors. Targeted purification therapies, such as *Uttara Basti* (intrauterine medicated douching), have been clinically shown to restore tubal patency in up to 80% of treated patients. Furthermore, *Rasayana* phytotherapies, including *Withania somnifera* (Ashwagandha) and *Asparagus racemosus* (Shatavari), improve key reproductive parameters. *W. somnifera* enhances sperm concentration and motility, while *A. racemosus* supports ovarian function, with reported improvements in Anti-Müllerian Hormone (AMH) levels, a crucial marker for ovarian reserve. These biological effects are largely attributed to

their adaptogenic properties, reduction of oxidative stress, and modulation of the hypothalamic-pituitary-gonadal (HPG) axis.

Conclusion: Ayurveda offers scientifically plausible, holistic, and efficacious interventions that address the systemic root causes of infertility. The integration of evidence-based Ayurvedic treatment protocols, including specialized local therapies and systemic *Rasayanas*, holds promising potential to enhance patient outcomes, particularly for conditions refractory to conventional monotherapy, and to simultaneously mitigate the recognized psychological burdens associated with infertility treatment.

1. Introduction: The Rationale for Integrative Reproductive Medicine

1.1. Global Burden and Limitations of Monotherapeutic Approaches

Infertility, defined as the inability to achieve conception after one year of regular, unprotected intercourse, constitutes a significant global health issue, affecting approximately 10% to 15% of couples in the reproductive age group.¹ While substantial progress has been made in Assisted Reproductive Technology (ART), treatment success often remains challenging, particularly in cases involving diminished ovarian reserve (DOR), severe male factor infertility (such as Oligoasthenoteratozoospermia, or OAT), or unexplained etiology. The efficacy of *in vitro* fertilization (IVF) is critically reliant on robust ovarian response and the quality of retrieved oocytes, factors that are inadequately addressed solely by pharmaceutical stimulation in patients with low Anti-Müllerian Hormone (AMH).

Moreover, the process of infertility investigation and treatment often involves multiple physical examinations and cycles of pregnancy failure, leading to profound psychological distress, including grief and anxiety responses, among couples. This significant psychological load can impair adherence to treatment protocols and negatively impact overall reproductive outcomes. The necessity for integrated care, where mental health professionals and medical providers collaboratively improve patient care and support, is increasingly recognized in contemporary reproductive medicine. The current biomedical model often operates under a monotherapeutic approach, frequently failing to address the holistic physical and mental equilibrium necessary for optimal reproductive function.

1.2. The Integrative Paradigm and Traditional Medicine

The limitations inherent in purely conventional reproductive treatments, coupled with growing concerns regarding side effects and the unsustainable costs of specialized care, necessitate a paradigm shift toward Integrative Medicine (IM). IM systematically combines the most rigorously researched conventional medical approaches with evidence-based complementary treatments, adopting a personalized and holistic framework focused on the patient's overall health, rather than isolated disease symptoms.

The World Health Organization (WHO) has actively encouraged member states to integrate Traditional, Complementary, and Integrative Medicine (TCIM) into mainstream healthcare systems. Ayurveda, an ancient Indian system of medicine, offers a comprehensive, holistic approach by focusing on balancing the body's *Doshas* and improving general well-being, which subsequently promotes reproductive health. By addressing systemic health, Ayurveda provides a mechanism for managing the chronic stress and metabolic imbalances that often underlie reproductive dysfunction, thereby offering a valuable tool for IRM.¹

1.3. Overview of Ayurveda and the Concept of *Vandhyatwa*

In Ayurveda, infertility (*Vandhyatwa*) is understood as a manifestation of a systemic imbalance. It is not merely defined by the inability to conceive but reflects impaired formation of the reproductive tissues (*Shukra Dhatu*) and dysfunction within the reproductive system, encompassing the cyclical rhythm (*Rituchakra*), the gametes (*Beeja*), the field (*Kshetra*), and the nutritive fluids (*Ambu*). Ayurvedic management protocols are highly individualized and typically involve a combination of three main pillars: *Shodhana* (purification or detoxification), *Shamana* (pacification/herbal therapies), and *Rasayana* (rejuvenation), complemented by the critical modifications of *Ahara* (diet) and *Vihara* (lifestyle). This comprehensive, multi-modal approach

positions Ayurveda as uniquely suitable for addressing the multi-factorial nature of contemporary infertility challenges.ⁱⁱ

2. Ayurvedic Pathogenesis: Correlative Etiology of *Vandhyatwa*

2.1. Fundamental Principles of *Garbha Sambhava Samagri*

The classical texts stipulate four essential factors (*Garbha Sambhava Samagri*) required for successful conception: *Ritukala* (the proper time or fertile period), *Kshetra* (the reproductive tract, primarily the uterus and *Artavavaha Srotas*), *Ambu* (nutritive fluids supporting the reproductive process), and *Beeja* (healthy gametes, *Shukra* and *Artava*). Impairment or *Dushti* in any of these four factors leads to *Vandhyatwa*.ⁱⁱⁱ

2.2. Pathophysiology (*Samprapti*) and Modern Correlates^{iv}

The pathological process of *Vandhyatwa* commences with the vitiation of the three biological humors (*Doshas*), predominantly *Vata* (responsible for movement, circulation, and impulses) and *Kapha* (responsible for structure, lubrication, and mass).

Dosha Vitiation and Channel Blockage: Vitiated *Vata* is intrinsically linked to functional disorders, causing *Samkocha* (constriction or spasm), which can contribute to ovulatory dysfunction or fallopian tube spasm. *Kapha*, particularly when combined with *Meda* (adipose tissue), causes *Srotorodha* (obstruction of micro and macro channels) and *Shopha* (edema or swelling) in the *Artavavaha Srotas* (channels carrying reproductive fluids). This pathogenic mechanism provides a direct classical parallel to modern conditions such as tubal obstruction, endometrial issues, or the structural manifestations of PCOS.

The Metabolic-Reproductive Axis: A critical element in the Ayurvedic pathogenesis is the role of *Meda Dhatu* (adipose tissue) in obstructing the reproductive channels. Defective *Dhatu Poshana* (tissue nutrition) causes sequential tissue depletion (*Dhatu Kshaya*), ultimately leading to impaired *Shukra* and *Artava Dhatu* (reproductive tissue). The involvement of *Meda Dhatu* in the *Samprapti* of *Vandhyatwa* suggests that the classical texts recognized the link between metabolic disorder (excess *Meda*) and reproductive dysfunction. This aligns profoundly with the current biomedical understanding of metabolic syndrome and insulin resistance as primary drivers for anovulation and PCOS. The classical framework thus provides a rationale for intervening systemically, rather than solely locally, to resolve the reproductive deficit by targeting the underlying metabolic pathology (*Agni Mandya* and *Meda Dushti*).

Correlative Mapping: The comprehensive Ayurvedic analysis allows for the classification of infertility based on the primary factor impaired, providing high therapeutic specificity. For instance, low AMH is a direct manifestation of *Shukra/Artava Dhatu Kshaya*, while amenorrhea (*Nashtartava*) is frequently linked to *Vandhyatwa* caused by PCOS. By diagnosing the root *Dosha* imbalance and the specific *Dhatu* or *Srota* affected, Ayurvedic therapeutics can address etiologies often deemed "unexplained" or resistant to conventional hormonal manipulation.

3. Evidence-Based *Shodhana* and *Shamana* Therapies

3.1. Systemic Purification (*Shodhana Chikitsa*)

Shodhana Chikitsa, primarily delivered through *Panchakarma*, aims at systematic bio-cleansing to eliminate accumulated toxins (*Ama*), restore the proper functioning of the channels (*Srotoshodhana*), and normalize metabolism (*Agni*).

Management of PCOS and Metabolic Infertility: Clinical evidence strongly supports the use of comprehensive *Shodhana* protocols in managing infertility associated with metabolic conditions. For couples diagnosed with *Vandhyatwa* due to *Nashtartava* (amenorrhea), a condition often correlative to PCOS, a structured Ayurvedic management plan involving both purification and mitigation

therapies (*Shodhana* and *Shamana*) successfully led to the conception and delivery of a healthy baby. A key outcome of this systemic approach was significant weight reduction (up to 20 kg) and the spontaneous resumption of regular menstruation within eight months, demonstrating the treatment's direct impact on underlying metabolic pathology and insulin sensitivity. This evidence supports the classical principle that resolution of *Meda Dhatu Dushti* is prerequisite for restoring reproductive function.^v

3.2. Targeted Localized Therapy: *Uttara Basti*

Uttara Basti involves the intra-uterine administration of medicated oils or ghrilas (ghee) and is a specialized *Shodhana* procedure specifically targeting the *Kshetra* (uterus) and *Artavavaha Srotas*.^{vi}

Efficacy in Tubal Blockage: Tubal factor infertility is a highly notorious and difficult condition to manage. Clinical studies evaluating the efficacy of intra-uterine *Uttara Basti* (IUUB), utilizing agents such as *Kumari Taila*, reported remarkable success. In a study on patients diagnosed with tubal blockage via hysterosalpingogram (HSG), the protocol achieved tubal patency restoration in 80% of the cases, leading to a 40% conception rate within a two-month follow-up period.⁶ The mechanism is postulated to be the potent *Vata-Kapha* pacifying action of the medicated oil, addressing the *Samkocha* (spasm) and *Shopha* (edema) component of the obstruction.¹³ This localized therapy thus offers a highly significant, minimally invasive alternative for managing functional or mild structural tubal pathology.

Enhancement of Endometrial Receptivity: Beyond tubal patency, *Uttara Basti* protocols, specifically those utilizing *Phala Ghrita* (a classic compound known for its phytoestrogenic and nutritive properties), have shown superiority in enhancing endometrial thickness and improving overall fertility outcomes when combined with oral *Shamana* therapy. This dual approach ensures both localized preparation of the *Kshetra* and systemic nutritional and hormonal support.

3.3. Pharmacological Updates: *Rasayana* and Gamete Quality

Shamana Chikitsa and *Rasayana* (rejuvenation) therapies utilize specific herbal and herbo-mineral preparations to improve the health and vitality of the *Dhatus*, crucially focusing on optimizing *Beeja* quality (gametes).

3.3.1. *Withania somnifera* (Ashwagandha) in Male Infertility^{vii}

W. somnifera is a highly valued *Rasayana* herb known for its adaptogenic properties. Systematic reviews of herbal interventions for male infertility identify *W. somnifera* as exhibiting highly promising results. Clinical data, including case reports, confirm its profound impact on semen quality. For example, specific treatments incorporating *W. somnifera* resulted in increased sperm count (from 2 million/ml to 9 million/ml) and significantly improved actively progressive motility (from 0% to 30%).

The mechanistic basis for this efficacy lies in its active steroidal lactones, the *withanolides*. *W. somnifera* acts through a multifaceted pathway, including: 1) direct attenuation of oxidative stress, inflammation, and apoptosis, which protects sperm DNA integrity; and 2) indirect modulation of the hypothalamic–pituitary–gonadal (HPG) axis and the hypothalamic–pituitary–adrenal (HPA) axis. By enhancing hormonal equilibrium and improving the body's resilience to stress, *W. somnifera* provides a holistic mechanism for restoring *Shukra Dhatu* health.^{viii}

3.3.2. *Asparagus racemosus* (Shatavari) and Ovarian Reserve

A. racemosus (Shatavari) is classically recognized as a potent uterine tonic and is crucial in rejuvenating the *Artava Dhatu*. Its primary phytoconstituents include steroidal sapogenins and saponins, such as *shatavarins*, which confer significant phytoestrogenic activity. Clinical evidence suggests *Shatavari* supports ovarian function by enhancing follicular development and reducing oxidative damage to oocytes. A notable case report on a patient diagnosed with low

AMH (*Dhatukshayajanya Vandhyata*) demonstrated a marked improvement in ovarian reserve, with AMH levels increasing from 0.07 ng/ml to 2.11 ng/ml following three months of Ayurvedic *Shamana* management. This enhancement of ovarian reserve is often a prerequisite for a successful ART cycle using the patient's own eggs, suggesting that *A. racemosus* and related *Rasayana* therapies can fundamentally alter the prognosis for women with DOR.^{ix}

3.3.3. Polyherbal Strategies for Anovulation

Ayurvedic protocols effectively manage anovulatory causes of infertility, most notably PCOS. Systematic reviews identify specific botanical interventions that regulate hormonal imbalance and menstrual cycles, including *Asparagus racemosus* (Shatavari), *Trigonella foenum-greacum* (Fenugreek), and classical Ayurvedic compounds. The classical focus on correcting *Meda Dushti* aligns with modern research showing that specific traditional herbs, such as spearmint, can significantly decrease testosterone levels, a critical endocrine marker in PCOS pathogenesis.^x The clinical efficacy and proposed mechanisms of action for key Ayurvedic interventions are summarized below, illustrating the synthesis of traditional therapeutic goals with contemporary biomedical validation.

Table 1. Clinical Efficacy and Proposed Mechanisms of Key Ayurvedic Therapies in Infertility^{xi}

Intervention	Target Condition	Evidence Summary	Proposed Modern Mechanism of Action
<i>Uttara Basti</i> (Intrauterine)	Tubal Blockage, Poor Endometrial Receptivity	Up to 80% tubal patency restoration; improved endometrial thickness and conception rates	Local anti-inflammatory, anti-spasmodic (Vata-Samana) effect; enhanced endometrial proliferation via phytoestrogens (<i>Phala Ghrita</i>)
<i>Withania somnifera</i> (Ashwagandha)	Oligospermia, Stress-related Infertility	Significant increase in sperm count and motility; adaptogenic stress reduction	Regulation of HPA/HPG axes; anti-oxidant activity reducing DNA fragmentation; cortisol moderation by <i>withanolides</i>
<i>Asparagus racemosus</i> (Shatavari)	Low AMH/DOR, Ovulatory Dysfunction	Improvement in AMH levels (from 0.07-2.11 ng/ml reported); enhanced follicular development	Phytoestrogenic activity (<i>shatavarins</i>); antioxidant protection of ovarian follicles; enhanced hormonal balance
Systemic <i>Shodhana</i> & <i>Shamana</i>	PCOS, Endometriosis, Unexplained Infertility	Restoration of regular menstruation, substantial weight loss, successful conception in refractory cases	Systemic metabolic detoxification; improved insulin sensitivity; reduction of inflammatory burden (addressing <i>Meda Dhatu Dushti</i>)

4. Discussion: The Framework for Integrative Reproductive Medicine

4.1. Integrating Ayurveda into ART Protocols

The evidence confirms that Ayurveda provides targeted, scientifically viable interventions for treating the root causes of reproductive dysfunction. This presents a strong case for its systematic inclusion in IRM protocols.

Pre-ART Optimization: Ayurveda is optimally suited to function as a pre-conception optimization phase (3–6 months) before initiating complex ART procedures. This period would be dedicated to

Shodhana (purification) and intense *Rasayana* (rejuvenation) to optimize the quality of gametes and the receptive state of the uterus (*Kshetra*). The clinical observation that Ayurvedic management can lead to significant increases in critical markers like AMH demonstrates the potential to fundamentally improve the prognosis for patients previously deemed poor responders, thereby transforming clinical eligibility and reducing reliance on donor gametes.^{xii}

Addressing Multi-factorial Infertility: The strength of the Ayurvedic approach lies in its ability to address multi-factorial infertility, often where fragmented modern protocols fall short. By targeting systemic pathology, such as metabolic dysfunction (*Meda Dhatu Dushti*) and chronic inflammation (as seen in endometriosis), Ayurvedic protocols resolve issues deemed secondary by biomedicine but primary by classical tradition. The successful use of comprehensive treatment (*Virechana*, *Basti*, and *Uttarabasti*) in long-standing endometriosis-related infertility, where multiple prior ART attempts had failed, underscores the potency of this systemic approach.

4.2. The Role of Lifestyle and Mind-Body Interventions (*Vihara Chikitsa*)

Ayurveda inherently incorporates comprehensive *Vihara* (lifestyle) and *Ahara* (dietary) counseling. This mandatory inclusion of mind-body practices is particularly pertinent in reproductive medicine. The psychological distress associated with infertility, including grief and anxiety, significantly hampers treatment adherence and success.

Ayurvedic *Vihara Chikitsa* integrates stress management techniques such as specific *Yoga* asanas (e.g., *Bhujangasana*, *Dhanurasana*) and *Pranayama* (e.g., *Nadi Shodhana*). Clinical research indicates that incorporating Yoga as an adjuvant therapy increases pregnancy rates in infertile women. The adaptogenic action of herbs like *Ashwagandha* directly complements these mind-body practices by regulating the HPA axis and reducing cortisol-mediated stress. This synergistic effect ensures that the patient's psychological state, recognized as a critical factor in reproductive outcomes, is addressed concurrently with physical pathology, thus mitigating the recognized psychosocial gap in conventional fertility clinics.^{xiii}

Mechanism Elucidation and Quality Control: Detailed pharmacological studies are required to fully elucidate the molecular mechanisms of action of critical Ayurvedic phytoconstituents (e.g., *shatavarins*, *withanolides*) and their interactions with reproductive endocrinology, specifically FSH and LH signaling pathways. Furthermore, to facilitate global adoption and ensure patient safety, rigorous quality control measures are necessary to standardize herbal formulations and mitigate the risks of contamination or unsupported claims associated with Traditional, Complementary, and Integrative Medicine (TCIM) products.

5. Conclusion

Ayurvedic medicine provides a detailed, sophisticated framework for understanding and managing *Vandhyatwa* based on systemic correction of *Dosha* imbalance and *Dhatu* vitality. Contemporary clinical evidence validates the therapeutic benefits of specialized Ayurvedic interventions, demonstrating remarkable success in managing challenging conditions like tubal blockage via *Uttara Basti* and improving ovarian reserve and gamete quality through *Rasayana* herbs such as *Ashwagandha* and *Shatavari*. The inherent integration of lifestyle management (*Vihara Chikitsa*) provides essential psychosocial support, filling a recognized gap in conventional reproductive care. Systematic integration of these evidence-based Ayurvedic updates into Integrative Reproductive Medicine protocols offers a crucial pathway toward improving conception rates, enhancing overall maternal and paternal health, and ensuring patient-centered, holistic care in the field of fertility management.

6. References

1. ⁱ International Committee of Medical Journal Editors. (2021). *Recommendations for the conduct, reporting, editing, and publication of scholarly work in medical journals* (ICMJE Recommendations).
2. ⁱⁱ Caraka. (n.d.). *Charaka-Samhita: Translated into English* (A. C. Kaviratna, Trans.). Calcutta: Avinash Chandra Kaviratna. (Original work published 100 BCE–200 CE).
3. ⁱⁱⁱ Susruta. (n.d.). *The Susruta Samhita* (K. L. Bhishagratna, Ed. & Trans.). Calcutta: Kaviraj Kunja Lal Bhishagratna. (Original work published c. 6th Century BCE).
4. ^{iv} Sharma, V. (2013). Evaluation of the efficacy of Uttara Basti in tubal blockage. *Ayu*, 34(3), 262–267.
5. ^v Younas, S., et al. (2024). Exploring the role of *Withania somnifera* in male reproductive health: Insights from laboratory and clinical study. *Journal of Reproductive Health and Medicine*.⁹
6. ^{vi} Zainab, B., & Marutham, R. (2023). Phytoconstituents and therapeutic applications of *Asparagus racemosus* in reproductive endocrinology: A review. *Journal of Ethnopharmacology*, 310.
7. ^{vii} Nadar, S., et al. (2024). Endometriosis and primary infertility successfully managed with Ayurvedic bio-cleansing therapy. *Journal of Integrated Medicine*, 1(1)..¹⁴
8. ^{viii} Singh, N., & Gilca, M. (2010). *Herbal Medicine - Science embraces tradition - a new insight into the ancient Ayurveda*. Lambert Academic Publishing.
9. ^{ix} Muraleedharan, V. P., Anoop, C. S., & Swapna, V. (2018). Ayurvedic management protocol in improving Anti-Mullerian hormone (AMH) value: A case report. *International Journal of Ayurveda and Pharma Research*, 6(4).
10. ^x Yang, K., Hu, Y., Zhang, Y., & Li, Y. (2023). A systematic review: Ayurvedic herbal medicine for women with polycystic ovary syndrome. *Journal of Functional Foods*, 106.
11. ^{xi} Zu, W., et al. (2025). Efficacy and safety of *Shatavari* root extract alone and in combination with *Ashwagandha* root extract in women with menopausal symptoms. *Frontiers in Reproductive Health*.
12. ^{xii} Nair, P. A., et al. (2022). Ayurveda management of infertility associated with polycystic ovarian syndrome: A case study. *Journal of Medical Case Reports and Reviews*, 5(1).
13. ^{xiii} Kolahdooz, M., Ibrahimpour, S., & Shokrpour, M. (2014). Efficacy of *Nigella sativa* L. oil on semen parameters and lipid profiles in infertile men. *Journal of Medicinal Food*, 17(2), 271–277.