



AYURVEDIC PERSPECTIVES ON PREGNANCY CARE: A THEORETICAL AND COMPARATIVE FRAMEWORK OF *GARBHINI PARICHARYA*

Dr. Mamta Tiwari¹, Dr. Anurag Pandey^{2*}

¹Assistant Professor, Department of Swasthavritta and Yoga, Faculty of Ayurveda, Institute of Medical Sciences, Banaras Hindu University, Varanasi, India

^{2*}Assistant Professor, Department of Vikriti Vigyan, Faculty of Ayurveda, Institute of Medical Sciences, Banaras Hindu University, Varanasi, India

***Corresponding Author-** Dr. Anurag Pandey

*Assistant Professor, Department of Vikriti Vigyan, Faculty of Ayurveda, Institute of Medical Sciences, Banaras Hindu University, Varanasi, 221005 Email- dr.anubhu@gmail.com

Abstract

Garbhini Paricharya described in Ayurveda is a structured, month-wise regimen for pregnancy that integrates dietary guidelines, lifestyle practices, psychological well-being, and therapeutic interventions from conception through the postpartum period. This paper examines the theoretical foundations and contemporary relevance of Ayurvedic pregnancy care, particularly in the context of global maternal health challenges.

The significance of this research paper is underscored by key considerations: the persistent burden of maternal morbidity and mortality in developing regions, the documented limitations of biomedical antenatal care in addressing multifactorial pregnancy outcomes such as obesity and lifestyle-related complications, and the increasing global utilization of complementary and alternative medicine among reproductive-age women. Drawing upon a focused body of classical Ayurvedic texts and contemporary scholarly literature, this study adopts a conceptual and comparative approach to analyze the principles underlying *Garbhini Paricharya* and their alignment or divergence from modern biomedical frameworks.

Although the available literature is largely descriptive and lacks extensive large-scale randomized controlled trials, it provides a valuable basis for theoretical exploration. The analysis highlights Ayurveda's emphasis on individualized care, preventive strategies, and holistic well-being, offering potential insights for integrative models of antenatal care. This synthesis contributes to the ongoing discourse on expanding maternal healthcare paradigms by situating Ayurvedic knowledge within a modern global health context.

Introduction

Ayurveda, derived from the Sanskrit roots *Ayur* (life) and *Veda* (knowledge), represents one of the world's oldest continuously practiced medical traditions, with its foundational texts the *Caraka Samhitā* and *Suśruta Samhitā* codifying a comprehensive system of health maintenance and disease management that includes detailed protocols for maternal and child health. The Ayurvedic approach to pregnancy care, known as *Garbhini Paricharya*, constitutes a structured, month-by-month regimen that addresses diet, lifestyle, mental disposition, and therapeutic procedures from conception through the postpartum period. This stands in marked contrast to the dominant biomedical model of antenatal

care, which the WHO has characterized as lacking strong evidence on the optimal content, frequency, and timing of prenatal visits ¹.

The theoretical significance of importance of Ayurveda in pregnancy care lies in three domains. First, the global burden of pregnancy complications remains severe, with maternal mortality disproportionately affecting developing nations where traditional medicine systems retain significant utilization ². Second, the limitations of purely biomedical interventions for complex, multifactorial pregnancy outcomes particularly in the domains of obesity, gestational weight management, and lifestyle modification have been increasingly documented, with evidence suggesting that dietary and lifestyle advice alone is often "inadequate to affect pregnancy and birth outcomes" ³. Third, the rise of complementary and alternative medicine (CAM) utilization among reproductive-age women globally demands rigorous theoretical engagement with the epistemological and mechanistic foundations of these traditions⁴.

The present synthesis draws upon a circumscribed literature set comprising Ayurvedic maternal care studies, biomedical antenatal intervention trials, and foundational Ayurvedic scholarship published and available online. The available literature is predominantly descriptive and conceptual rather than comprising large-scale randomized controlled trials of Ayurvedic pregnancy interventions specifically. This constrains the depth of empirical evaluation possible but permits a meaningful theoretical analysis of Ayurveda's conceptual architecture for pregnancy care and its points of convergence and tension with biomedical frameworks.

Theoretical Foundations: The Epistemological Architecture of Ayurvedic Maternal Care The Tridoṣa Framework as a Constitutional Logic for Pregnancy

The Tridoṣa paradigm, which holds that three regulatory principles—Vāta (movement), Pitta (transformation), and Kapha (structure)—that result from combinations of the five great elements (Pañcamahābhūta) govern physiological function, is the theoretical foundation of Ayurvedic medicine. Eight. According to this theory, disease is a logical development (samprāpti) of imbalance brought on by dietary, behavioral, environmental, or psychological variables, whereas health is described as a dynamic equilibrium among the three Doṣas rather than the absence of pathology⁵.

This constitutional logic carries profound implications for the conceptualization of pregnancy. Unlike the biomedical model, which treats pregnancy primarily as a physiological state requiring monitoring for pathological deviations (hypertension, gestational diabetes, pre-eclampsia), Ayurveda frames pregnancy as a period of heightened *Doṣa* sensitivity in which the woman's constitutional type (*Prakṛti*) interacts with the demands of fetal development to produce predictable patterns of vulnerability⁶. The therapeutic imperative, accordingly, is not merely to detect and treat complications but to proactively maintain *Doṣa* equilibrium through personalized regimens—a logic of preventive constitutional management rather than reactive pathology surveillance.

This distinction is not trivial. The Ayurvedic diagnostic method employs structured observation, inference, and textual authority to identify the root cause and progression of imbalance, applying interventions whose qualities are systematically opposite to those of the aggravated *doṣa* 10. In the pregnancy context, this translates into month-specific dietary prescriptions, lifestyle modifications, and therapeutic procedures calibrated to the evolving physiological demands of each gestational stage .

Historical Codification: From Kaumārabhr̥tya to Garbhini Paricharya

Ayurveda's engagement with maternal and child health is not peripheral but structurally central to the tradition. *Kaumārabhr̥tya Tantra* (the science of maternity and child care) constitutes one of the eight classical branches (*Aṣṭāṅga*) of Ayurveda, reflecting the tradition's recognition of reproductive health as a foundational domain of medical knowledge⁷. The historical depth of this engagement is significant: Ayurveda has been practiced in India since antiquity, and its pharmacological and therapeutic sophistication—including evidence of surgical procedures—has been recognized as anticipating aspects of modern pharmacology .

Within this broader framework, *Garbhini Paricharya* represents the specific protocol for antenatal supervision, encompassing dietary guidelines, behavioral prescriptions, herbal formulations, and therapeutic procedures organized on a month-by-month basis from conception through delivery⁸. The ancient medical systems more broadly, including Ayurveda, were rational frameworks developed from the philosophical and empirical resources of their time, and core concepts such as balance (homeostasis), risk assessment, and ethical duty remain foundational to modern medical thought.

Garbhini Paricharya in Ayurveda

Characteristic	Description
 Diet (Ahara)	Nutrient-rich foods, warm milk & ghee, fruits and grains
 Lifestyle (Vihara)	Adequate rest, gentle exercise, positive mindset
 Herbal Remedies (Aushadhi)	Safe Ayurvedic herbs, tonic preparations
 Daily Routine (Dinacharya)	Daily regimen, personal hygiene
 Mind & Emotions (Manas)	Stress management, meditation and relaxation
 Stages of Pregnancy	First trimester, second trimester, third trimester

Thematic Theoretical Synthesis

The Holistic–Reductionist Tension in Antenatal Care Models

A central theoretical tension in the literature concerns the scope of intervention deemed appropriate for pregnancy care. The biomedical model, as operationalized in standard antenatal care programs worldwide, has been characterized by a series of one-on-one clinical encounters focused on physiological monitoring and risk screening⁹. Yet systematic reviews of this model have revealed a surprising finding: there is limited evidence that the standard content, frequency, or timing of antenatal visits optimally affects clinical outcomes, and models with fewer but more goal-oriented visits may be equally effective.

Ayurveda's *Garbhini Paricharya*, by contrast, operates from an explicitly holistic premise in which physical, psychological, social, and spiritual dimensions are treated as interdependent determinants of pregnancy outcome. Rakhshani and colleagues articulated this contrast directly, noting that while the root causes of pregnancy complications remain unclear within the biomedical paradigm, they likely encompass physical, psychological, social, and spiritual aspects—precisely the domains addressed by Vedic and Ayurvedic antenatal guidelines¹⁰. Their proposed holistic antenatal model, integrating yoga, Ayurveda, and Vedic prescriptions, represents a theoretical attempt to bridge this epistemological gap by compiling both scriptural and scientific evidence for a comprehensive antenatal framework.

This tension is not merely philosophical. The biomedical literature on dietary and lifestyle interventions during pregnancy—particularly for overweight and obese women—has documented persistent difficulty in translating intervention into outcome improvement. Dodd's systematic review found that while dietary and lifestyle interventions during pregnancy may produce modest improvements in maternal diet, they are frequently "inadequate to affect pregnancy and birth outcomes"¹¹. Similarly, the evidence base for preconceptional lifestyle interventions, while

establishing associations between risk factors and adverse outcomes, has shown that the effectiveness of such interventions "remains partly unclear". These findings raise a theoretically important question: Does the reductionist disaggregation of pregnancy care into discrete behavioral targets (diet, exercise, weight) miss synergistic effects that a more integrated approach might capture?

Ayurveda's theoretical architecture, which treats dietary prescriptions, lifestyle behaviors, mental states, and spiritual practices as components of a single regulatory system, offers at least a conceptual alternative to this disaggregated approach—though the empirical evidence for its superior effectiveness remains underdeveloped.

Temporality and Stage-Specificity in Pregnancy Interventions

A second major theme concerns the temporal organization of pregnancy care. The Ayurvedic system is distinctive in its detailed month-by-month specification of appropriate regimens, reflecting a developmental logic in which the needs of mother and fetus are understood to change qualitatively across gestational stages³². This approach contrasts with the relatively undifferentiated temporal structure of standard biomedical antenatal care, which typically varies visit frequency but not fundamental intervention logic across trimesters.

The Ayurvedic month-by-month regimen (*Masanumasika Pathya*) specifies distinct dietary items, herbal preparations, lifestyle modifications, and therapeutic procedures for each month of pregnancy, grounded in the theoretical premise that fetal organogenesis follows a predictable sequence requiring specific nutritional and environmental support at each stage.¹²

From a biomedical perspective, the concept of stage-specificity has gained traction primarily through the lens of critical developmental windows (e.g., neural tube closure in the first trimester, fetal growth trajectories in the third), but the therapeutic response has been limited largely to targeted supplementation (e.g., folic acid) rather than comprehensive stage-specific regimens. The Ayurvedic model's more granular temporal differentiation represents a theoretically interesting proposition that the optimal intervention portfolio should shift qualitatively, not merely quantitatively, across gestational stages though this proposition awaits rigorous comparative testing.

The Integration of Gynecological and Reproductive Knowledge

Ayurveda's approach to pregnancy care cannot be understood in isolation from its broader treatment of female reproductive health. Jadhav and Bhutani demonstrated that Ayurvedic science addresses gynecological disorders "in a systematic manner," with detailed classification of diseases and extensive catalogues of plant drugs and herbal formulations used traditionally in treatment¹³. This systematic engagement with female reproductive physiology provides the conceptual foundation upon which pregnancy-specific protocols are built.

The integration of gynecological knowledge into prenatal care reflects a continuity-of-care logic that extends from preconception through pregnancy and the postpartum period. This is theoretically significant because it frames pregnancy not as a discrete medical event but as one phase within a longer reproductive trajectory—a perspective that aligns with emerging biomedical recognition that preconceptional health status significantly influences pregnancy outcomes¹⁴. The observation of postpartum discharge (lochia) as a clinical indicator was also part of ancient Ayurvedic care strategies, demonstrating the tradition's attention to the full arc of the reproductive process.

Moreover, the utilization of Ayurvedic and other traditional medicine systems for reproductive health is not merely historical. Complementary and alternative medicine therapies are widely used among reproductive-age women globally, and randomized controlled trials have examined CAM approaches for various obstetrical and gynecological conditions. In the Indian context specifically, where formal healthcare access varies dramatically by socioeconomic status, informal and traditional health care—including Ayurvedic treatment—increases in utilization among populations with limited access to biomedical services¹⁵.

Therapeutic Procedures and Safety Considerations

A fourth theme concerns the specific therapeutic modalities employed within Ayurvedic pregnancy care and their evidence base. Dansana and Kadam described Ayurveda's role in addressing common pregnancy ailments such as abdominal pain and low backache through specific therapeutic procedures, positioning *Garbhini Paricharya* as encompassing both preventive regimens and active therapeutic intervention. The pharmacological dimension of Ayurvedic pregnancy care involves herbal formulations whose safety profiles, while supported by centuries of empirical use, have not been uniformly validated through modern toxicological and teratological assessment.

This raises a critical theoretical and practical tension. The Ayurvedic tradition regards its pharmacopoeia as "considered safe" by virtue of long historical use and availability¹⁶ yet the biomedical standard for pregnancy drug safety demands systematic evaluation of reproductive toxicity—a standard that most traditional formulations have not undergone. The review of CAM in reproductive-age women by Fugh-Berman and Kronenberg addressed this evidence gap directly, reviewing randomized controlled trials of CAM therapies for obstetrical and gynecological conditions and implicitly highlighting the need for rigorous safety evaluation¹⁷.

The integration of yoga within Ayurvedic pregnancy care represents a relatively better-evidenced modality. The holistic antenatal model proposed by Rakhshani et al. compiled evidence for yoga-based interventions alongside Ayurvedic guidelines, suggesting potential benefits for both physical and psychological dimensions of pregnancy health. Music therapy, particularly traditional Indian music, has also been proposed as a complementary antenatal intervention with potential mechanisms operating through maternal-fetal feedback pathways¹⁸.

Structural Access, Equity, and the Role of Traditional Medicine in Maternal Health Systems

The fifth theme addresses a systems-level question: What role does Ayurveda play within the broader architecture of maternal healthcare delivery, particularly in resource-constrained settings? This question gains urgency from the persistent global burden of maternal mortality, with developing countries bearing the vast majority of perinatal deaths and maternal deaths that are, in principle, avoidable. Levels of maternal care have been formalized in the biomedical system to ensure timely access to risk-appropriate care¹⁹, but these systems often fail to reach the most vulnerable populations. In India, where Ayurveda remains a living medical tradition with formal institutional support, the relationship between traditional and biomedical maternal care is complex. Kausar's examination of maternal health care utilization among the urban poor found that when formal healthcare access is limited, utilization of informal and traditional care systems including Ayurveda increases²⁰. This pattern suggests that Ayurveda functions not merely as a cultural preference but as a structural component of the healthcare safety net, with implications for how maternal health systems should be designed and resourced.

The tension between biomedical standardization and traditional pluralism is illustrated by the controversy over government-sponsored advice to pregnant women based on traditional principles. Reports of official Indian health booklets advising pregnant women to adopt dietary restrictions and spiritual practices consistent with traditional frameworks drew criticism from biomedical practitioners who characterized the advice as "completely unscientific" 23. This episode crystallizes the fundamental epistemological conflict: the biomedical establishment evaluates traditional prescriptions by the standards of randomized controlled trials and mechanistic explanation, while proponents of Ayurveda appeal to a different evidentiary tradition grounded in textual authority, historical practice, and holistic theoretical coherence.

The challenge for health systems theory is to move beyond this binary. The epidemic of maternal obesity, for instance, has significant implications for both maternal and fetal health, yet biomedical interventions have shown limited effectiveness in improving outcomes 242526. In this context, the Ayurvedic emphasis on comprehensive lifestyle management, dietary regulation, and constitutional balance may offer complementary strategies—if they can be subjected to rigorous evaluation and integrated within evidence-based care pathways.

Synthesis Discussion and Conceptual Integration

Cross-Theme Mechanism Comparison

The five themes identified above converge on a central conceptual tension that can be framed as constitutional holism versus biomedical reductionism in pregnancy care. This is not simply a matter of philosophical preference; it has concrete implications for intervention design, outcome measurement, and healthcare delivery.




Fig: Mechanism Comparison of pregnancy care in Ayurvedic and biomedical model

The Ayurvedic model operates through what may be termed a multi-channel regulatory mechanism: dietary prescriptions modulate *doṣa* balance; lifestyle modifications address behavioral and environmental influences; mental and spiritual practices engage psychological and possibly psychoneuroimmunological pathways; and herbal formulations provide pharmacological support. The theoretical claim is that these channels are synergistic—that their combined effect exceeds the sum of their individual contributions.

The biomedical model, by contrast, typically isolates individual intervention channels (diet alone, exercise alone, supplementation alone) and evaluates them independently. The persistent finding that such isolated interventions are "inadequate to affect pregnancy and birth outcomes" 6 may be interpreted—from an Ayurvedic theoretical perspective—as evidence for the inadequacy of the disaggregated approach itself. This interpretation remains speculative, however, and requires empirical testing through study designs capable of evaluating integrated intervention packages against their disaggregated components.

Sources of Theoretical Conflict

Three primary sources of conflict emerge from this synthesis:

1. Evidentiary standards: Ayurveda's evidence base rests primarily on textual authority, historical continuity, and clinical tradition, whereas biomedical evaluation demands randomized controlled trials, mechanistic explanation, and reproducibility. Neither standard is inherently superior; they reflect different epistemological commitments.
2. Level of analysis: Ayurveda operates at the level of the whole person (constitution, lifestyle, mental state, spiritual condition), while biomedical antenatal care increasingly focuses on specific risk factors and measurable biomarkers. This mismatch makes direct comparison difficult and may lead to systematic undervaluation of holistic interventions by biomedical assessment methods.
3. Safety validation: The Ayurvedic tradition's reliance on historical use as evidence of safety does not meet modern pharmacovigilance standards, creating a genuine tension between accessibility (particularly in resource-constrained settings) and precautionary principle 718.

Future Research Agenda

The theoretical tensions identified in this review generate several specific, theory-driven research questions:

The synergy hypothesis requires direct empirical testing: Studies comparing integrated Ayurvedic pregnancy regimens with their disaggregated biomedical counterparts using outcome measures that capture physical, psychological, and developmental dimensions simultaneously—would address the foundational question of whether holistic intervention packages outperform the sum of their parts. This demands methodological innovation beyond the standard parallel-group RCT.

The constitutional personalization logic of Ayurveda (*Prakṛti*-based treatment) offers a theoretically rich but empirically untested proposition for precision pregnancy care. Whether women of different constitutional types respond differentially to standardized vs. personalized antenatal regimens is a question that could bridge Ayurvedic theory and emerging biomedical interest in personalized medicine. The temporal specificity of *Garbhini Paricharya* its month-by-month differentiation of intervention—warrants investigation through the lens of developmental biology. Modern understanding of epigenetics, critical developmental windows, and fetal programming may provide mechanistic explanations for stage-specific effects that the Ayurvedic tradition has long posited on theoretical grounds. The safety pharmacology of Ayurvedic pregnancy formulations demands systematic investigation using modern toxicological methods, including teratogenicity screening and pharmacokinetic profiling during pregnancy. This is not merely a regulatory concern but a theoretical one: the Ayurvedic claim that its formulations are safe because they restore natural balance must be tested against the biomedical observation that "natural" substances can have potent and sometimes harmful pharmacological effects.

Lastly at the health systems level, research should examine optimal models for integrating Ayurvedic and biomedical pregnancy care in settings where both systems coexist. The patterns of utilization documented by Kausar 20 suggest that integration is already occurring informally; formalizing and evaluating this integration could improve maternal outcomes while respecting cultural practices and extending healthcare access.

Conclusion

The integration of Ayurvedic pregnancy care with modern obstetrics occupies an intellectually rich but empirically thin space. The conceptual convergences are genuine and well-documented — Ayurvedic *Garbhini Paricharya* anticipates many principles of modern preventive obstetrics, and specific interventions have plausible physiological mechanisms.

However, the field remains overwhelmingly descriptive. The transition from "these systems are conceptually compatible" to "integration improves maternal-neonatal outcomes" requires a fundamentally different level of evidence — one that is currently lacking. The challenges of herbal standardization, safety validation in pregnancy, and regulatory infrastructure are not merely academic concerns but practical barriers to clinical implementation.

For researchers entering this field, the most productive approach would be condition-specific, mechanism-informed, and methodologically rigorous selecting well-defined Ayurvedic interventions with clear pharmacological rationale, validating their safety profiles in pregnancy, and testing them in adequately powered clinical trials against or alongside standard obstetric care.

The retrieved literature is predominantly from Ayurvedic specialty journals with limited impact factors and citation counts. High-impact obstetric journals (e.g., *BJOG*, *American Journal of Obstetrics and Gynecology*) are largely absent from the results, suggesting that this research area has not yet penetrated mainstream obstetric discourse

References

- 1 Carroli, G., Villar, J., Piaggio, G., Khan-Neelofur, D., Gülmezoglu, M., Mugford, M., Lumbiganon, P., Farnot, U., & Bersgjø, P. (2001). WHO systematic review of randomised controlled trials of

- routine antenatal care. *The Lancet*, 357(9268), 1565–1570. [https://doi.org/10.1016/s0140-6736\(00\)04723-1](https://doi.org/10.1016/s0140-6736(00)04723-1)
- 2 De Brouwere, V., Richard, F., & Witter, S. (2010). Access to maternal and perinatal health services: lessons from successful and less successful examples of improving access to safe delivery and care of the newborn. *Tropical Medicine & International Health*, 15(8), 901–909. <https://doi.org/10.1111/j.1365-3156.2010.02558>.
- 3 Dodd, J. M. (2015). Managing obesity during pregnancy—what are the options? *Nature Reviews Endocrinology*, 11(12), 691–692. <https://doi.org/10.1038/nrendo.2015.141>
- 4 Fugh-Berman, A., & Kronenberg, F. (2003). Complementary and alternative medicine (CAM) in reproductive-age women: a review of randomized controlled trials. *Reproductive Toxicology*, 17(2), 137–152. [https://doi.org/10.1016/s0890-6238\(02\)00128-4](https://doi.org/10.1016/s0890-6238(02)00128-4)
- 5 Sharma, R. K., & Dash, B. (Trans.). (2014). *Caraka Samhitā* (Vols. 1–4). Chowkhamba Sanskrit Series Office. (Original work published ca. 1st millennium BCE)
- 6 Sengupta, P. *et al.* (2016). Ayurvedic Perspective of Pregnancy and Fetal Development During the First and Second Trimester. In: Bhattacharya, N., Stubblefield, P. (eds) *Human Fetal Growth and Development*. Springer, Cham. https://doi.org/10.1007/978-3-319-14874-8_44
- 7 Mishra, LC & Singh, B & Dagenais, Simon. (2001). Ayurveda—a historic perspective and principles of traditional health care system in India. *Alternative therapies in health and medicine*. 7. 36-42.
- 8 Murthy, K. R. Srikantha (Trans.). (2012). *Suśruta Samhitā* (Vols. 1–3). Chaukhambha Orientalia.
- 9 ACOG Committee Opinion No. 731: Group Prenatal Care. (2016). *Obstetrics & Gynecology*, 131(3), e104–e108. <https://doi.org/10.1097/aog.0000000000002529>
- 10 Rakhshani, A., Nagarathna, R., Sharma, A., Singh, A., & Nagendra, H. R. (2014). A Holistic Antenatal Model Based on Yoga, Ayurveda, and Vedic Guidelines. *Health Care for Women International*, 36(3), 256–275. <https://doi.org/10.1080/07399332.2014.942900>
- 11 DODD, J. M., CROWTHER, C. A., & ROBINSON, J. S. (2008). Dietary and lifestyle interventions to limit weight gain during pregnancy for obese or overweight women: A systematic review. *Acta Obstetrica et Gynecologica Scandinavica*, 87(7), 702–706. <https://doi.org/10.1080/0016340802061111>
- 12 Vd. Archana D. Inchekar Vd Shital O. Chavan Preventive And Promotive Measures In Antenatal Care With Ayurveda And Yoga For Excellence And Multi-Dimensional Development of Foetus. *World Journal of Pharmaceutical Research* Volume 6, Issue 8, 538-545.
- 13 Jadhav, A. N., & Bhutani, K. K. (2005). Ayurveda and gynecological disorders. *Journal of Ethnopharmacology*, 97(1), 151–159. <https://doi.org/10.1016/j.jep.2004.10.020>
- 14 Temel, S., van Voorst, S. F., Jack, B. W., Denktas, S., & Steegers, E. A. P. (2013). Evidence-Based Preconceptional Lifestyle Interventions. *Epidemiologic Reviews*, 36(1), 19–30. <https://doi.org/10.1093/epirev/mxt003>
- 15 Farah Kausar Maternal health care utilisation among the urban poor of Maharashtra, India University of Southampto 2001
- 16 Jadhav, A. N., & Bhutani, K. K. (2005). Ayurveda and gynecological disorders. *Journal of Ethnopharmacology*, 97(1), 151–159. <https://doi.org/10.1016/j.jep.2004.10.020>
- 17 Fugh-Berman, A., & Kronenberg, F. (2003). Complementary and alternative medicine (CAM) in reproductive-age women: a review of randomized controlled trials. *Reproductive Toxicology*, 17(2), 137–152. [https://doi.org/10.1016/s0890-6238\(02\)00128-4](https://doi.org/10.1016/s0890-6238(02)00128-4)
- 18 Parmar, P. (2016). Music Therapy and Music Medicine during Antenatal Period: Mechanisms and Evidence of Effects on Maternal and Fetal Health.
- 19 Menard, M. K., Kilpatrick, S., Saade, G., Hollier, L. M., Joseph, G. F., Jr., Barfield, W., Callaghan, W., Jennings, J., & Conry, J. (2015). Levels of maternal care. *American Journal of Obstetrics and Gynecology*, 212(3), 259–271. <https://doi.org/10.1016/j.ajog.2014.12.030>
- 20 Farah Kausar Maternal health care utilisation among the urban poor of Maharashtra, India University of Southampto 2001